

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS									
	REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED			
	Α	14-0148	CH'D TITLE BLOCK, WAS RED BARN IS DART. CH'D TOLERANCE ON NON-CRITICAL DIMS3 ADDED MISSING DIM. Ø6.24 B.C. CH'D DIM WAS Ø7.975 IS Ø7.975 ±.010.	9/15/2014	JAG	RJC			





NOTES:

TITLE

DWG NO.


- 1. REF. BELL T/N: 214-782-003-101.
- 2. USED ON BELL MODELS 204B, 205A1, 212, 214B, 214ST, 222, 222B, 222U, & 412

SUPPORT ASSEMBLY

RBT400272


REV


									_						
									M	/IAT'L			DRAW	N BY:	GILBERT
											SS OTHERWISE				D Weil
	224 422	Υ		UNIT						.0. ± xxx.	05 FRACT	IONS ± 1/	TREA	-	
	ASSY ASS QTY QT	; B/O	Part #	QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	x +		X + 1	X ‡ .01 A		FINISH	1 (CAD PLATE YELLOW
L									_ 1	I. BREAK	ALL SHARP EDG	ES .015 x	45. SPEC	QQ-F	2-416F, TYPE II, CLASS II
			-1]	TUBE	CARBON STEEL DOM	Ø4-1/2 X 5/8 WALL X 14-1/8	2		OR .015R	t .				SED ON MODEL
			-3	1	RING	1018	Ø8 X 3/4	3	Ľ	2. DIMENSIONAL LIMITS APPLY AFTER PLATING		-14	SEE NOTE		
f			-5	1	PLUG	1018	Ø3-1/2 X 1	4	-	SCALE	1:6	DATE	5/26/20	12	SHEET 1 OF 4




This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

	REVISIONS									
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED					
Α	14-0148	-3 ADDED MISSING DIM. Ø6.24 B.C. CH'D DIM WAS Ø7.975 IS Ø7.975 ±.010.	9/15/2014	JAG	RJC					







SECTION C-C





RING


DART								
SUPPORT ASSEMBLY								
RBT400272-3								
MAT'L 1018		DRAWN BY:	GILBERT					
UNLESS OTHERV DIMENSIONS A		APPROVED	D Wei	2				
VVV T DOE	ACTIONS ± 1/8	HEAT TREAT						
.XX ± .01	ANGLES ±.5°	FINISH SEE SHT 1						
1. BREAK ALL SHARP	EDGES .015 x 45°	SPEC						
OR .015R		USED ON MODEL						
2. DIMENSIONAL LIMITS PLATING	S APPLY AFTER	SEE SHT 1						
SCALE 1:4 DATE 5/26/2012 SHEET 3 OF 4								

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

	revisions										
REV ECR	DESCRIPTION	DATE	INITIAL	APPROVED							







(-5)

PLUG

